


Detailblatt 12-915-v2
 Dämmung Dach 12-200: 180mm
 Dämmung Wand 21-100: 140mm
 Kriterium Oberflächenkondensat




| Material | λ [W/(m·K)] |
|-------------------------|---------------------|
| Fichte, Tanne | 0.140 |
| ISOVER ISOLENE P | 0.032 |
| ISOVER ISOTHERM 035 | 0.035 |
| ISOVER PB M 032 | 0.032 |
| ISOVER PHONEIX 032 | 0.032 |
| Innenputz | 0.700 |
| Modulbackstein Einstein | 0.440 |
| Zementmörtel (1) | 1.400 |

| Randbedingung | q [W/m ²] | θ [°C] | R [(m ² ·K)/W] | ϵ |
|--------------------------|-------------------------|---------------|-----------------------------|------------|
| Aussenklima | -14.600 | | 0.040 | |
| Innen Obere Raumhälfte | | 20.000 | 0.250 | |
| Symmetrie/Bauteilschnitt | 0.000 | | | |

ISOVER Bautechnik, November 2013

Detailblatt 12-915-v2
Dämmung Dach 12-200: 180mm
Dämmung Wand 21-100: 140mm
Kriterium Oberflächenkondensat



ISOVER Bautechnik, November 2013